

Size A:

Size B:

Size A and Size B max. 120 cm

Shower floor element (PUR)


- with central drain
- vertical     horizontal

Enquiry

Order

Height-equalisation plate (EPS)

Thickness \_\_\_\_\_ cm



Size A:

Size B:

Size C:

Size D:


Size A and Size B max. 120 cm

Shower floor element (PUR)

- with central drain
- vertical     horizontal

Height-equalisation plate (EPS)

Thickness \_\_\_\_\_ cm



Size A:

Size B:

Size R:

Size A and Size B max. 120 cm

Shower floor element (PUR)

- with central drain
- vertical     horizontal

Height-equalisation plate (EPS)

Thickness \_\_\_\_\_ cm

**Please note:**

All Grumbach shower floor elements have a 5 cm wide **sealing foil cover**.

Through the cutting of the Grumbach shower floor element, the ends of the sloping lines no longer end in the corners of the elements. After cutting, the surrounding edge of the shower element is no longer of uniform height. This can be remedied on site with the corresponding tile adhesive.

The adjusting plates **only fit onto the Grumbach shower floor elements**.

**Please fill out:**


Sender/Stamp

Contact person

Telephone

Fax

Date/Signature



Size A:

Size B:


Size A and Size B max. 120 cm

**Shower floor element (PUR)**  
with eccentric drain  vertical  horizontal

**Height-equalisation plate (EPS)**  
Thickness \_\_\_\_\_ cm

**Enquiry**

**Order**



Size A:

Size B:


Size C:

Size D:

Size A and Size B max. 120 cm

**Shower floor element (PUR)**  
with eccentric drain  vertical  horizontal

**Height-equalisation plate (EPS)**  
Thickness \_\_\_\_\_ cm



Size A:

Size B:

Size R:

Size A and Size B max. 120 cm

**Shower floor element (PUR)**  
with eccentric drain  vertical  horizontal

**Height-equalisation plate (EPS)**  
Thickness \_\_\_\_\_ cm

**Please note:**

All Grumbach shower floor elements have a 5 cm wide **sealing foil cover**.

Through the cutting of the Grumbach shower floor element, the ends of the sloping lines no longer end in the corners of the elements. After cutting, the surrounding edge of the shower element is no longer of uniform height. This can be remedied on site with the corresponding tile adhesive.

The adjusting plates **only fit onto the Grumbach shower floor elements**.

**Please fill out:**


Sender/Stamp

Contact person

Telephone

Fax

Date/Signature



Size A:

Size B:

Size A and Size B max. 120 cm

**Corner-shower floor element (PUR)**

with eccentric drain  vertical  horizontal

with corner installation plate for shower fittings, height \_\_\_\_\_ cm


with 2 wall access points 1/2" for pre-wall fittings

with built-in skeleton set for concealed fittings

**Enquiry**

**Order**

**Height-equalisation plate (EPS)** Thickness \_\_\_\_\_ cm



Size A:

Size B:

Size C:

Size D:

Size A and Size B max. 120 cm

**Corner-shower floor element (PUR)**


with eccentric drain  vertical  horizontal

with **corner installation plate** for shower fittings, height \_\_\_\_\_ cm

with 2 wall access points 1/2" for pre-wall fittings

with built-in skeleton set for concealed fittings

**Height-equalisation plate (EPS)** Thickness \_\_\_\_\_ cm



Size A:

Size B:

Size R:

Size A and Size B max. 120 cm

**Corner-shower floor element (PUR)**

with eccentric drain  vertical  horizontal

with **corner installation plate** for shower fittings, height \_\_\_\_\_ cm

with 2 wall access points 1/2" for pre-wall fittings

with built-in skeleton set for concealed fittings

**Height-equalisation plate (EPS)** Thickness \_\_\_\_\_ cm

**Please note:**

All Grumbach shower floor elements have a 5 cm wide **sealing foil cover**.

Through the cutting of the Grumbach shower floor element, the ends of the sloping lines no longer end in the corners of the elements. After cutting, the surrounding edge of the shower element is no longer of uniform height. This can be remedied on site with the corresponding tile adhesive.

The adjusting plates **only fit onto the Grumbach shower floor elements**.

**Please fill out:**


Sender/Stamp

Contact person

Telephone

Fax

Date/Signature



Size A:

Size B:

Size A max. 120 cm, min. 70 cm  
Size B max. 120 cm

Shower floor element (PUR)

with drain channel made of stainless steel  
(only horizontal drain available)

Enquiry

Order

Height-equalisation plate (EPS)


Thickness \_\_\_\_\_ cm

**Please note:**

All Grumbach shower floor elements have a 5 cm wide **sealing foil cover**.

Through the cutting of the Grumbach shower floor element, the ends of the sloping lines no longer end in the corners of the elements. After cutting, the surrounding edge of the shower element is no longer of uniform height. This can be remedied on site with the corresponding tile adhesive.

The adjusting plates **only fit onto the Grumbach shower floor elements**.



Size A:

Size B:

Size C<sub>1</sub>:

Size C<sub>2</sub>:


Size A max. 120 cm, Size B max. 200 cm  
Size C<sub>1</sub> max. 60 cm, Size C<sub>2</sub> max. 140 cm  
The drain is always central to size A  
Size C<sub>1</sub> and C<sub>2</sub> must be equal to size B (C<sub>1</sub> + C<sub>2</sub> = B).

Shower floor element (PUR)

with eccentric drain  
 vertical  horizontal

Height-equalisation plate (EPS)

Thickness \_\_\_\_\_ cm



Size A:

Size B:

Size A max. 120 cm  
Size B max. 120 cm


(Size A up to 200 cm on request possible: upwards of 120 cm with two drains and split drain cover)

Shower floor element (PUR)

with channel drainage and height-adjustable side facing with channel drain  vertical DN 50  horizontal DN 40

**Height equalisation panel (EPS)**

Thickness \_\_\_\_\_ cm



Size A:

Size B:

Size A max. 235 cm

(Size A up to 200 cm on request possible: upwards of 120 cm with two drains and split drain cover)

Size B: min. 80 cm, max 120 cm, only possible in 5 cm intervals.

Shower floor element (PUR)

with channel drainage and height-adjustable side facing with channel drain  vertical DN 50  horizontal DN 40

**Height equalisation panel (EPS)**

Thickness \_\_\_\_\_ cm

**Please fill out:**

Sender/Stamp

Contact person

Telephone

Fax

Date/Signature