

Size A:

Size B:

Size A and Size B max. 120 cm

☐ **Shower floor element (PUR)**

☐ with central drain


☐ vertical

☐ horizontal

☐ **Support frame**

☐ **Enquiry**

☐ **Order**



Size A:

Size B:

Size C:

Size D:

Size A and Size B max. 120 cm


☐ **Shower floor element (PUR)**

☐ with central drain

☐ vertical

☐ horizontal

☐ **Support frame**



Size A:

Size B:

Size R:

Size A and Size B max. 120 cm

☐ **Shower floor element (PUR)**

☐ with central drain

☐ vertical

☐ horizontal

☐ **Support frame**

## Please note:

All Grumbach shower floor elements have a 5 cm wide **sealing foil cover**.

Through the cutting of the Grumbach shower floor element, the ends of the sloping lines no longer end in the corners of the elements. After cutting, the surrounding edge of the shower element is no longer of uniform height. This can be remedied on site with the corresponding tile adhesive.

**The support frames only fit onto the Grumbach shower floor elements.**

Please fill in the fields:


Sender/Stamp

Contact person

Telephone

Telefax

Date/Signature



Size A:

Size B:


Size A and Size B max. 120 cm

☐ **Shower floor element (PUR)**  
with eccentric drain ☐ horizontal ☐ vertical

☐ **Support frame**

☐ **Enquiry**

☐ **Order**



Size A:

Size B:


Size C:

Size D:

Size A and Size B max. 120 cm

☐ **Shower floor element (PUR)**  
with eccentric drain ☐ horizontal ☐ vertical

☐ **Support frame**



Size A:

Size B:

Size R:

Size A and Size B max. 120 cm

☐ **Shower floor element (PUR)**  
with eccentric drain ☐ horizontal ☐ vertical

☐ **Support frame**

## Please note:

All Grumbach shower floor elements have a 5 cm wide **sealing foil cover**.

Through the cutting of the Grumbach shower floor element, the ends of the sloping lines no longer end in the corners of the elements. After cutting, the surrounding edge of the shower element is no longer of uniform height. This can be remedied on site with the corresponding tile adhesive.

**The support frames only fit onto the Grumbach shower floor elements.**

Please fill in the fields:


Sender/Stamp

Contact person

Telephone

Telefax

Date/Signature



Size A:

Size B:

Size A and Size B max. 120 cm

☐ **Corner** shower floor element (PUR)

with eccentric drain ☐ horizontal ☐ vertical

☐ with **corner installation panel** for shower fittings, height \_\_\_\_\_ cm


☐ with 2 wall access points ½" for pre-wall fittings

☐ with built-in skeleton for concealed fittings

☐ **Support frame**

☐ **Enquiry**

☐ **Order**



Size A:

Size B:

Size C:

Size D:

Size A and Size B max. 120 cm

☐ **Corner** shower floor element (PUR)


with eccentric drain ☐ horizontal ☐ vertical

☐ with **corner installation panel** for shower fittings, height \_\_\_\_\_ cm

☐ with 2 wall access points ½" for pre-wall fittings

☐ with built-in skeleton for concealed fittings

☐ **Support frame**



Size A:

Size B:

Size R:

Size A and Size B max. 120 cm

☐ **Eck-Shower** floor element (PUR)

with eccentric drain ☐ horizontal ☐ vertical

☐ with **corner installation panel** for shower fittings, height \_\_\_\_\_ cm

☐ with 2 wall access points ½" for pre-wall fittings

☐ with built-in skeleton for concealed fittings

☐ **Support frame**

## Please note:

All Grumbach shower floor elements have a 5 cm wide **sealing foil cover**.

Through the cutting of the Grumbach shower floor element, the ends of the sloping lines no longer end in the corners of the elements. After cutting, the surrounding edge of the shower element is no longer of uniform height. This can be remedied on site with the corresponding tile adhesive.

**The support frames only fit onto the Grumbach shower floor elements.**

Please fill in the fields:


Sender/Stamp

Contact person

Telephone

Telefax

Date/Signature



Size A:

Size B:

Size A max. 120 cm, min. 70 cm  
Size B max. 120 cm

☐ **Shower floor element (PUR)**

☐ with stainless steel channel drain  
(only horizontal drainage ist possible)

☐ **Support frame**


☐ **Enquiry**

☐ **Order**

### Please note:

All Grumbach shower floor elements have a 5 cm wide **sealing foil cover**. Through the cutting of the Grumbach shower floor element, the ends of the sloping lines no longer end in the corners of the elements. After cutting, the surrounding edge of the shower element is no longer of uniform height. This can be remedied on site with the corresponding tile adhesive.

**The support frames only fit onto the Grumbach shower floor elements.**



Size A:

Size B:

Size C<sub>1</sub>:


Size C<sub>2</sub>:

Size A max. 120 cm, Size B max. 200 cm  
Size C<sub>1</sub> max. 60 cm, Size C<sub>2</sub> max. 140 cm  
The drain is always centered to Size A.  
Size C<sub>1</sub> and C<sub>2</sub> added must be Size B  
(C<sub>1</sub> + C<sub>2</sub> = B).

☐ **Shower floor element (PUR)**

☐ with eccentric drain  
☐ vertical ☐ horizontal

☐ **Support frame**



Size A:


Size B:

Size A max. 120 cm  
Size B max. 120 cm

☐ **Shower floor element (PUR)**

☐ with channel drain and height-adjustable side panel  
with channel drain ☐ vertical DN 50  
☐ horizontal DN 40

☐ **Support frame**



Size A:

Size B:

Size A: max. 200 cm;  
upwards 120 cm with 2 drains  
and sliced drain cover

Size B: min. 80 cm, max. 120 cm,  
only possible in 5 cm intervals

☐ **Shower floor element (PUR)**

☐ with channel drain and height-adjustable side panel  
with channel drain ☐ vertical DN 50  
☐ horizontal DN 40

☐ **Support frame**

Please fill in the fields:

Sender/Stamp

Contact person

Telephone

Telefax

Date/Signature